





Follow us today!

www.ameripolish.com





Maintain 🔀



#### **Prepare - SURFACE PREPARATION & ABRASIVES**



Ameripolish <sup>®</sup> Strip & Clean	7
Ameripolish <sup>®</sup> Oil Ingester System	8
Ameripolish® EZ Etch	8

14

15

16

16

17

18

6

#### Color - CONCRETE DYES

Ameripolish® Main Color Chart	9	Ameripolish® Edge Tint
Ameripolish <sup>®</sup> ColorSolve™	10	Ameripolish® OS Integral Color Chart
The Difference Between Concrete Color Systems	11	Ameripolish® OS Integral Color
Ameripolish® Classic Concrete Dyes	12	Ameripolish® Penetrating Agent Plus
Ameripolish <sup>®</sup> SureLock <sup>™</sup> Concrete Dyes	12	Ameripolish <sup>®</sup> ColorJuice E Color Chart
Ameripolish® Dye-N-Seal Pro SB Dyes	13	Ameripolish® ColorJuice E
Ameripolish <sup>®</sup> Dye-N-Seal WB	14	

#### Strengthen - DENSIFIERS

The Densifier Difference Chart	20	Ameripolish® Eco-Hard MS & Eco-Hard MS PLUS	22
Ameripolish <sup>®</sup> 3D HS & 3D HSL	21	Ameripolish® 2D PL	23

3

4

5

6

#### **Protect - STAIN PROTECTION & BURNISHING PADS**

Ameripolish <sup>®</sup> 3D SP E™	24	Ameripolish® X-Link E (WL)	30
Ameripolish® 3D SP	25	Ameripolish® X-Link WB	31
Ameripolish® PSE	25	Ameripolish® DNS-400	31
Ameripolish® AquaShield	26	Ameripolish® Rooftop Armor- NEW	32
Ameripolish® Graffiti Guard- NEW	27	Ameripolish®G Series Burnishing Pads - NEW	33
Ameripolish® SR <sup>2TM</sup> Stain Resistor	29	The Sealer Comparison Chart	34
Ameripolish® SR <sup>2</sup> WB Stain Resistor	29		

#### **Maintain - CLEANERS & MAINTENANCE PADS**

Ameripolish® Rejuvenating Cleaner	35	Ameripolish <sup>®</sup> CFE 2000	38
Ameripolish <sup>®</sup> SmartFloor Maintenance System	36	Ameripolish <sup>®</sup> Stain Slayer- NEW	39
Ameripolish® SP Clean & Shine Pads	37		

#### Copyright 2020 Ameripolish®, All rights reserved

The Trademarks, logos and service marks (collectively the "Trademarks") displayed in Ameripolish® marketing are registered and unregistered Trademarks of Ameripolish®. All other Trademarks and service marks are the property of their respective owners. The unauthorized use of any Trademark displayed in this catalog is strictly prohibited.



The SmartFloor<sup>™</sup> Refinement System concept is engineered to provide a high-aesthetic floor that is an easy and economical way to utilize any walkbehind or ride-on power trowel as well as various other machines. The SmartFloor<sup>™</sup> Refinement System consists of pads that have composite resin abrasive technology embedded in their design. The SmartFloor<sup>™</sup> Refinement System allows for easy assembly of universal blade holders that will allow the user of the machine to equip abrasives to virtually any power trowel machine. Additionally, the SmartFloor<sup>™</sup> Refinement System can be outfitted to machines with our patented blade system or compliment your planetary system with our custom ring designs.

Item #	Unit	MSRP
TDP128-00	00 Blade 4 Pack	\$385.00
TDP128-0	0 Blade 4 Pack	\$385.00
TDP128-1	1 Blade 4 Pack	\$357.50
TDP128-2	2 Blade 4 Pack	\$357.50
TDP128-3	3 Blade 4 Pack	\$357.50
UVHDLR-2	Universal Blade Holder (2)	\$450.00


# **FEATURES**

- Easy-to-use pad system allowing simple swapping in/out of desired pads to the velcro blade holders
- Universal Blade Holder option
- Designed for use on walk-behind or ride-on power trowels and other polishing machines
- Pairs well with the SmartFloor<sup>™</sup> Maintenance system for a floor with high aesthetics and minimal cost
- Innovative and patented composite resin abrasive technology
- Five simple steps to a polished floor

Item #	Unit	MSRP
GPR-11	11" Rings, All Steps	*TBD
GPR-13	13" Rings, All Steps	*TBD
GPR-14	14" Rings, All Steps	*TBD
GPR-17	17" Rings, All Steps	*TBD

Other sizes are readily available upon request





Ameripolish® EZ-Kut Grinding Agent is a waterbased grinding agent used for the initial cut on hard, dense concrete that helps with exposing large aggregate faster than dry or wet methods. EZ-Kut also dramatically increases productivity of lower-grit diamond tooling. EZ-Kut Grinding Agent suspends concrete solids away from the surface, allowing diamond tools to achieve maximum efficiency, reducing the project time-line and labor costs and extending the life of the diamond tooling. It can be used as part of a full flood wet process or as a mist as part of dry grinding.



- Speeds up initial cut on hard, dense concrete
- Helps expose large aggregate faster than dry-only or standard wet methods
- Extends the life of diamond tooling
- Unique dry method avoids the hassle of slurry

Item #	Unit	MSRP
EZKUT-1	1 gallon RTU	\$39.00
EZKUT-5	5 gallon RTU	\$190.00
EZKUT-30	30 gallon RTU	\$1,140.00
EZKUT-55	55 gallon RTU	CDFP*
EZKUT-250	250 gallon RTU	CDFP*

# **PG-7K** Polishable Grout Coating system




Ameripolish® PG-7K is a fast-setting, modified polymer, high-strength cement with outstanding bonding properties and characteristics. Formulated specifically to fill in small cracks, pinholes and surface irregularities in concrete floors, it also increases durability, gloss and distinctness of image (DOI) on most floors. PG-7K readily accepts Ameripolish® concrete dyes and requires no special polishing procedures. Ameripolish® PG-7K Part A - Powder must be mixed with PG-7K Part B - Liquid.

#### 0.1C-1C PER FT<sup>2</sup> 5000-7000<sub>FT<sup>2</sup></sub> PER GALLON

- Fast-setting, high-strength cement that fills in small cracks, pinholes and surface irregularities
- Increases durability, gloss and distinctness of image (DOI) on most floors
- Readily accepts Ameripolish® dyes
- Easy to use 2:1 mix ratio

Item #	Unit	MSRP
PG-7KA	45lb Bag PG7K Part A	\$49.00
PG-7KB-2.5	2.5 gallon PG-7K Part B	\$95.00



Ameripolish® PCA is a penetrating curing agent that chemically hardens and dust-proofs concrete for improved abrasion resistance without forming a coating. PCA is recommended on newly placed concrete to add initial water and stain repellency while retaining slab moisture for improved curing. PCA requires no UV light for dissipation and can be used with integrallycolored concrete. Unlike traditional cure and seal products, PCA does not form a membrane that must be removed via chemical strippers or aggressive metal bond tools prior to polishing.



# FEATURES

- Improves cure by retaining slab moisture
- High-penetrating and non-film forming
- Forms hydrophobic barrier to increase stain repellency
- Improves scratch and abrasion resistance
- Helps reduce efflorescence and minimizes dust for healthier indoor air quality
- Replaces traditional cure and seal products on new concrete

Item #	Unit	MSRP
PCA-5	5 gallon RTU	\$199.00
PCA-30	30 gallon RTU	\$1,199.00
PCA-55	55 gallon RTU	CDFP*
PCA-250	250 gallon RTU	CDFP*


\*Call Distributor for Pricing\*





BEFORE

Ameripolish® Strip & Clean is a water-based stripping agent specifically formulated for the grind-free removal of the Ameripolish® 3D SP sealer from polished concrete floors. Strip & Clean is also a great tool to prepare exterior concrete for ColorJuice E applications. It helps remove mold, mildew and other contaminates that would otherwise impair the project.



# FEATURES

AFTER

- Grind-free sealer removal
- Formulated specifically to remove 3D SP and other guard-type products
- Safely removes improperly installed guard -type products
- Ideal for preparation prior to any dye application





# OIL INGESTER





WATER-BASED MICROBIAL STAIN REMOVER

Ameripolish® Oil Ingester is a water-based microbial stain remover that consumes and breaks down oil-based stains. It absorbs odors from the surface of concrete without causing damage or affecting any existing colorant, sealer or stain protector. This biodegradable and VOC-compliant product is environmentally safe and can be used daily. Removal of deeply embedded oil spots may require weeks. This removal time is normal as oil tends to penetrate deep in the concrete. Oil Ingester eats away at the oil and does not wash it into WWTP or city drainage runoffs.



Item #	Unit	MSRP
OE5	1 gallon (5 gallon RTU)	\$82.50
OE35	5 gallon (25 gallon RTU)	\$412.50

DAY 1 DAY 17



# FEATURES


- Safely removes oil stains from most surfaces
- Stops oil from continually wicking to the surface
- Does not damage colorants, sealers or stain protectors
- Works best above 55°F and with regular applications

#### **EZ ETCH** Concrete Surface Etching Agent

Ameripolish® EZ Etch cleans excess mortar, free latent lime, grease, oil, food stains and organic material from concrete floors and also opens up the pores/surface of the concrete to prepare it for penetrating products such as Ameripolish® ColorJuice E, Aq-uaShield, overlay concrete systems and water or solvent-based sealers. EZ Etch is environmentally friendly and nonabrasive. It is for use on polished concrete, stone, terrazzo and other custom concrete surfaces.

- Opens the concrete to prepare it for penetrating agents
- Safe for interior and exterior environments
- Biodegradeable, low odor and non-flammable
- Can be used safely on new or restoration construction, industrial facilities, commercial spaces, food packaging facilities and residential areas

Item #	Unit	MSRP
EZE2	1 gallon (2 gallon RTU)	\$45.00
EZE10	5 gallon (10 gallon RTU)	\$225.00
EZE60	30 gallon (60 gallon RTU)	CDFP*
EZE110	55 gallon (110 gallon RTU)	CDFP*
		*Call Distributor for Pricing*



# AMERIPOLISH<sup>®</sup> COLOR CHARTS Classic / Surelock<sup>TM</sup> / Dye-N-Seal Color chart

LOWRIDER

Ameripolish® offers 24 stock colors, covering the most common color choices seen in floors today. Custom colors are available upon request, but they are made to order. The colors listed are only a representation of the Ameripolish® Concrete Dyes. Change in concrete slab colors will affect the apperance of the dye. Color results cannot be guaranteed. Actual colors may vary.



GOLD	EDGE TINIT	RAW SIENNA	EDGETINIT	CARMEL	EDGE TINIT	SAND	EDGE TINIT	TERRA COTTA	EDGE TINIT	MAHOGANY	EDGE TIMIT
SADDLE BROWN	EDGE TINIT	CHOCOLATE BROWN	EDGE TINIT	WALNUT	EDGE TINIT	BURNT SIENNA	EDGE TINIT	CHESTNUT	EDGE TINIT	MARDON	EDGE TINIT
SEPIA	EDGE TINIT	EGGPLANT	EDGE TINIT	TURQUOISE	EDGETTINIT	SLATE BLUE	EDGE TINIT	PATRIOT BLUE	EDGETIMIT	GREEN	EDGE TINIT
PINE GREEN	EDGE TINIT	FOREST GREEN	EDGE TINIT	BLACK	EDGE TINIT	MIDNIGHT BLACK	EDGE TINIT	RED	EDGE TINIT		EDGE TINIT



# FEATURES

- Leaves little to no residual dye on surface, saving time on cleaning and dye expense-Doubles the coverage rate of concrete dyes
- Lower evaporation rate allows the use of an Ameripolish® microfiber mop, saving time on taping and masking
- Allows concrete dyes to be applied at higher grit levels, such as 800 or 1,500 grit for color enhancement or refurbishing

Item #	Unit	MSRP
CS-1	1 gallon	\$39.80
CS-5	5 gallons	\$157.80
CS-55	55 gallon	CDFP* *Call Distributor for Pricing*

Ameripolish® ColorSolve<sup>™</sup> is a solvent carrier designed and recommended for use with Ameripolish® Classic and SureLock<sup>™</sup> concrete dyes. ColorSolve<sup>™</sup> is extremely easy to use and leaves little to no residual dye on the surface. Use of ColorSolve<sup>™</sup> extends the dye coverage rate, increasing it up to 1,000 square feet per gallon! Color-Solve<sup>™</sup> should be applied by using an appropriate solvent sprayer with or without a microfiber mop. Due to the lower evaporation rate of ColorSolve<sup>™</sup>, using an Ameripolish® microfiber mop reduces labor costs, saves time and extends the square footage of your dye. Use of ColorSolve™ does not require taping and masking in preparation for the dye treatment. Another unique feature of ColorSolve™ is that it allows concrete dyes to be applied at higher grit levels, such as 800 and 1,500 grit for color enhancement or reapplication and refurbishing.

# THE DIFFERENCE BETWEEN AMERIPOLISH<sup>®</sup> CONCRETE COLOR SYSTEMS

#### **CLASSIC DYES**



Ameripolish<sup>®</sup> Classic Dyes are recommended to be mixed with ColorSolve<sup>™</sup> and have a mixing time of approximately three hours before applying. Classic is available in 22 colors.

## SURELOCK™ DYES



Ameripolish<sup>®</sup> SureLock<sup>™</sup> Dyes can be mixed with ColorSolve<sup>™</sup> or water and require no dwell time after mixing. SureLock<sup>™</sup> is available in 24 colors.

#### **DYE-N-SEAL PRO DYES**



Ameripolish<sup>®</sup> Dye-N-Seal Pro Dyes are recommended to be mixed with ColorSolve<sup>™</sup> and have a dwell time of approximately three hours before applying. For best results use Dye-N-Seal dyes when dying and sealing concrete only. Dye-N-Seal Pro is available in 22 colors.

#### **DYE-N-SEAL WB DYES**



Ameripolish<sup>®</sup> Dye-N-Seal WB Dyes can be mixed with ColorSolve<sup>™</sup> or water and require no dwell time after mixing. For best results use Dye-N-Seal dyes when dying and sealing concrete only. Dye-N-Seal is available in 24 colors.

# **EDGE TINT DYES**



Ameripolish<sup>®</sup> Edge Tint Dyes are used along the edges to avoid having to grind and polish all the way up to the wall, saving time and money. Edge Tint is a system and must be mixed together with parts A & B. Edge Tint dyes come in the same colors offered for Ameripolish<sup>®</sup> standard dyes.

# **OS INTEGRAL COLORS**



Ameripolish<sup>®</sup> OS Integral Color is used with overlay floors. It can be used in combination with ColorSolve<sup>™</sup> mixed dye to enhance the color of the floor.

#### **COLORJUICE E**



Ameripolish<sup>®</sup> ColorJuice E dyes with pigments that are for external use, due to their UV stability. ColorJuice E comes in 13 unique colors that can be used on driveways, patios, walkways, outdoor countertops and much more.



# **CLASSIC DYES**

#### CHEMICALLY BONDING DYES FOR POLISHED CONCRETE

Ameripolish<sup>®</sup> Classic Dyes were designed specifically for polished and exposed concrete. The Ameripolish<sup>®</sup> Classic Dyes penetrate into the surface of the concrete slab for extremely long-lasting color that will not wear from daily usage. Classic Dyes can be used as a base color or touch up for concrete that has received integral color, dry shake hardeners and acid stains; it can even be layered to create a truly unique, mottled effect.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Half set of samples (12)	\$93.50
Full set of samples (24)	\$204.00



#### **FEATURES**

- Solvent-based. It mixes with Ameripolish<sup>®</sup> ColorSolve<sup>™</sup> and is VOC compliant
- Colors penetrate the surface and never wear off
- Will not grind off during resin-grinding stages of polished concrete
- Coordinate with Ameripolish® Edge Tints
   for a seamless wall-to-wall floor solution
- For indoor use only

# SURELOCK<sup>™</sup> DYES

#### CHEMICALLY BONDING DYES FOR POLISHED CONCRETE

Ameripolish<sup>®</sup> SureLock<sup>™</sup> Dyes formula has recently been updated, making them the most vibrant concrete dyes Ameripolish<sup>®</sup> has ever produced. SureLock<sup>™</sup> Dyes are versatile colorants for polished concrete that mix with water or Ameripolish<sup>®</sup> ColorSolve<sup>™</sup>. SureLock<sup>™</sup> Dyes are to be applied just before densifying with 3D HS or HSL, helping the color penetrate and chemically bond to the concrete. The pre-dissolved concentrate liquid is fast and easy to use. The formula includes UV stabilizers to resist fading, as well as a penetrating agent to eliminate further mixing and develop deep, rich colors even on hard, dense concrete.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Half set of samples (12)	\$93.50
Full set of samples (24)	\$204.00



- Mixes with water or Ameripolish<sup>®</sup>
   ColorSolve<sup>™</sup> and is VOC compliant
- Consistent, rich penetrating color with UV stabilizers that resist fading
- May be used with 3D line densifiers to chemically bond to the concrete
- Liquid concentrate eliminates three-hour wait to dissolve dye required by other products
- For indoor use only



# AMERIPOLISH

# **DYE-N-SEAL PRO SB DYES**

#### Solvent-Based Penetrating Dye for all Concrete

Ameripolish<sup>®</sup> Dye-N-Seal Pro SB concrete dye system is for professional decorative concrete installers. The product was formulated using extremely fine molecules of color designed to penetrate and color most interior concrete surfaces. Dye-N-Seal dye can be used as a stand-alone color application on concrete, or it can be used as a base coat prior to acid staining concrete in order to add color to problem areas that will not react to acid stain.

Unit	MSRP
1 quart	\$39.00
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Half set of samples (11)	\$93.50
Full set of samples (22)	\$204.00



- Easy to apply, with 1/3 the application time of acid stains
- Fast-drying and solvent-based, available in 22 colors
- Can be used as a base coat or touch up application for acid stains
- Ideal for interior concrete applications



# **DYE-N-SEAL WB DYES**

#### WATER-BASED DYE FOR ALL CONCRETE

Ameripolish® Dye-N-Seal WB Dye is a UV-resistant interior concentrated colorant that is mixed with water onsite for easy use. Coverage rates will vary significantly based on the porosity of the concrete. Expect approximately 400 square feet per gallon for the first application and 500-700 square feet for each additional application.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Half set of samples (12)	\$93.50
Full set of samples (24)	\$204.00

# 9C-17C PER FT<sup>2</sup> 400-700<sub>FT<sup>2</sup></sub>

#### **FEATURES**

- Packaged as a concentrate and mixed with water onsite
- Can be used as a base coat or touch up application for integrally colored concrete, dry shake hardeners and acid stains
- Ideal for interior concrete applications

#### **EDGE TINT** Colorant for Edges and Borders

Ameripolish<sup>®</sup> Edge Tint provides wall-to-wall color options for border striping and edging areas that are difficult to grind and polish. Ameripolish<sup>®</sup> Edge Tint is a mixture of Ameripolish's<sup>®</sup> proprietary non-yellowing acrylic blend (Part A) and the Ameripolish<sup>®</sup> Dye coloring pack (Part B), available in coordinating Classic colors to eliminate edge work and complement any floor design.

Item #	Unit	MSRP
EDG-100A	1gal / Edge Tint Part A	\$55.00
EDG-B-(Color)	8 oz / Edge Tint Part B	\$69.00





#### **FEATURES**

- Available in 22 Ameripolish® Classic coordinating colors
- Creates uniform edges and borders to eliminate edge work
- Resists most oil, grease and food stains
- Coverage rate is approximately 800-1,000 linear feet, 4 inches wide, with two coats

www.ameripolish.com

# AMERIPOLISH<sup>®</sup> COLOR CHARTS OS Integral Color chart

Ameripolish® offers 18 stock OS Integral Colors, covering the most common color choices seen in floors today. Custom colors are available upon request but are made to order. The colors listed are only a representation of the Ameripolish® OS Integral Colors. Change in concrete slab colors will affect the appearance of the dye. Color results cannot be guaranteed. Actual colors may vary. All color swatches below using Ameripolish® OS Integral Color are representation of when mixed with CTS Cement Rapid Set® TRU™.



White 303



Modern Steel 332



Yellow 362





Saddle Brown 404



Olive Green 432



Oyster 311



Walnut 344



Bright Blue 452



Stone 312



Burnt Sienna 374





Charcoal 314



Terra Cotta 384



Red 422



Midnight Black 322



Sand 352



Eggplant 412





# **OS INTEGRAL COLOR**

#### INTEGRAL COLOR FOR CEMENTITIOUS OVERLAYS

Ameripolish® OS Integral Color is a concentrated liquid dispersion of mineral oxide pigment particles formulated to color concrete, and it is available in a broad range of hues. OS Integral Color meets ASTM-C979, Standard Specification for Pigments for Integrally Colored Concrete, and it is approved by the manufacturer of Rapid Set® TRU<sup>™</sup>, a leading cementitious self-leveling polishable overlay.

Unit	MSRP
Made to order	CDFP*
	*Call Distributor for Pricing

#### FEATURES

- Does not alter mix properties
- Maintains original strength
- Colorfast in outdoor settings
- Premeasured units equal standard dose for one 50-pound bag of TRU or other overlay products
- Meets ASTM-C979 standard

# **PENETRATING AGENT PLUS**

#### PENETRATING AGENT FOR COLORANT AND DYES

With the addition of the Ameripolish<sup>®</sup> Penetrating Agent, the acetone flash is delayed from 7-8 seconds to 30+ seconds, providing ample time for dyes to penetrate further into the concrete and additional decorative applications to be performed. It is for use with any Ameripolish<sup>®</sup> solvent-based dye.

Item #	Unit	MSRP
PEN1	32oz (1-4oz/gal Dye) 1oz	\$35.00
	ANTIFOLISY	
	THE SERVICE	
	Belle Bart	

- Improves dye penetration
- Minimizes surface residue and reduces materials waste
- Very easy-to-use container; just add 4oz to a premixed gallon of dye
- Extends the drying time of Ameripolish® solvent-based dyes
- Can be used on most cementitious surfaces
- Ideal for very dense or hard concrete where normal dye will not penetrate

# AMERIPOLISH<sup>®</sup> COLOR CHARTS ColorJuice E Color Chart

Ameripolish® offers 13 stock ColorJuice Extreme colors, covering the most common color choices seen in exterior concrete surfaces today. Custom colors are available upon request but are made to order. The colors listed are only a representation of the Ameripolish® ColorJuice Extreme Dyes. Change in concrete slab colors will affect the appearance of the dye. Color results cannot be guaranteed. Actual colors may vary.






# **COLORJUICE E**

#### EXTERIOR CONCRETE COLORANT

ColorJuice E Concrete Colorant is a fast, easy way to apply color to some types of interior and many types of exterior concrete. ColorJuice E is an improved formula of the old ColorJuice 3D and has an identical application process. It provides durable, rich hues by bonding color pigment directly into the concrete. ColorJuice E is ideal for porous concrete finishes, such as broom-finished or stamped concrete, including pavements, porches, patios, driveways, sidewalks and pool decks. ColorJuice E can also used for interior concrete (at the appropriate grit stages), such as garage floors, and it can be applied to other cementitious surfaces.

Item #	Unit	MSRP
CJHARD-1	1 Gallon/Hardener Part A	\$25.00
*RPCS	1 Gallon/Colorant Part B	\$45.00
CJHARD-5	5 Gallon/Hardener Part A	\$125.00
*RPCS	5 Gallon/Colorant Part B	\$225.00
*RPCS	Sample Bottle	\$8.50
CJ100	Full Sample Kit	\$126.00

\*Reference Product Code Sheet




- Ideal for indoor or outdoor use
- Fast, easy application
- Available in 24 transparent colors
- Water-based and UV stable
- Low VOC
- Works well with our X-Link series sealers
- Best results when EZ Etch is used to prep surface before color application



# Meat & Poultry

# **AMERIPOLISH®** Hybrid Silicate Densifiers



Three different size silicate molecules fully penetrate varying densities of concrete, regardless of region or hardness.

12



#### **Know the Densifier Difference**

All Ameripolish® densifiers are intended for use on either new or existing concrete, with or without color. We have designed several different densifiers in order to complement the varying types of concrete porosity and the different types of application preferences amongst our product users. Please read on to learn the difference between our densifiers.

#### ECO-HARD MS & ECO-HARD MS PLUS

Ameripolish® Eco-Hard MS dustproofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish® Eco-Hard MS is a high-solids densifier that is applied differently than the other Ameripolish® densifiers. Eco-Hard MS contains 30% solids while Eco-Hard MS PLUS contains 40% solids. \*Both products are applied with the same scrub-in and wash-off method.\*

#### 3D HS & 3D HSL

Ameripolish® 3D HS has three *different size molecule silicates that allow it to fully penetrate varying densities of concrete regardless of region or hardness.* 3D HSL (HSL = Hybrid Silicate Low-Solids) is a "low-solids" version of 3D HS, designed for tighter, less-porous, more-dense concrete. 3D HSL is traditionally used on trowelfinished concrete.

#### 2D PL

Ameripolish® 2D PL is *intended for use on concrete that is extremely porous.* 2D PL sets up faster than other Ameripolish® densifiers to keep the majority of the densifier towards the surface, hardening the wearable surface. 2D PL improves the abrasion resistance for new or aged concrete.


Attributes	Eco-Hard MS	Eco-Hard MS PLUS	2D PL	3D HS	3D HSL
Fast & Easy Spray/Microfi- ber Application	*NO*	*NO*	YES	YES	YES
Coverage Rates (Per Gallon)	250-300sq ft	250-300sq ft	600-800sq ft	600-800sq ft	600-800sq ft
Cost (Sq Ft)	4-5¢	4-5¢	4-5¢	5-6¢	2-3¢
Intended for use on	Dust-proofing industrial envi- ronments	Dust-proofing industrial envi- ronments	Extremely Po- rous Concrete	Any types of concrete	Trowel Fin- ished Concrete



# **3D HS DENSIFIER** Hybrid Silicate Densifier

Ameripolish® 3D HS (three densifiers in one product) Hybrid Silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. By having three different size molecule silicates, this product fully penetrates varying densities of concrete, regardless of region or hardness. The penetration improves the abrasion resistance for new or aged concrete. 3D HS is ideal for use on exposed and polished concrete, as well as cements with integral color.

Item #	Unit	MSRP
AP3DHS-5	5 gallon RTU	\$200.00
AP3DHS-30	30 gallon RTU	\$1,200.00
AP3DHS-55	55 gallon RTU	CDFP*
AP3DHS-250	250 gallon RTU	CDFP*
		*Call Distributor for Pricing



#### **FEATURES**

- Ideal for new or existing concrete
- Hardens deep within the slab to improve durability even after grinding
- Contains UV stabilizers to help protect color from fading
- Enhances polished color, gloss and clarity
- Contains stain-resistant chemicals to help
   prevent penetration of stains
- Minimizes dust for healthier indoor air quality

# **3D HSL DENSIFIER**

Low solids Hybrid Silicate Densifier

Ameripolish<sup>®</sup> 3D HSL (three densifiers in one product) Hybrid Silicate Densifier is formulated with three different size molecule silicates to penetrate even the most difficult, tight floor cap. 3D HSL strengthens and densifies from within the concrete by providing strength at multiple levels of the slab. 3D HSL improves surface performance and resists the harmful effects of traffic wear and weathering by improving the abrasion resistance for new or aged concrete. 3D HSL is ideal for use on exposed and polished concrete, as well as integrally colored cements.

\*Call Distributor for Pricing

Item #	Unit	MSRP
AP3DHSL-5	5 gallon RTU	\$100.00
AP3DHSL-30	30 gallon RTU	\$600.00
AP3DHSL-55	55 gallon RTU	CDFP*
AP3DHSL-250	250 gallon RTU	CDFP*



- Hardens deep within the slab to improve durability even after grinding
- Contains UV stabilizers to help protect color from fading
- Ideal for new construction, existing concrete and diamond pad burnishingonly specs
- Enhances polished color, gloss and clarity
- Provides superior stain resistance especially when combined with SR<sup>2</sup> sealer





Ameripolish® Eco-Hard MS Mono-silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. Ameripolish® Eco-Hard MS dustproofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish® Eco-Hard MS is odorless, colorless and non-toxic.

Item #	Unit	MSRP
ECOMS-55	55 gallon RTU	\$1,237.50
ECOMS-250	250 gallon RTU	\$5,625.00



#### **FEATURES**

- · Ideal for new or existing concrete
- Great for dustproofing
- Contains 30% solids
- Enhances polished color, gloss and clarity
- Minimizes dust for healthier indoor air quality

# **ECO-HARD MS PLUS**

#### MONO-SILICATE DENSIFIER WITH HIGHER SOLIDS

Ameripolish® Eco-Hard MS PLUS Mono-silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. Ameripolish® Eco-Hard MS PLUS dust proofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish® Eco-Hard MS PLUS is odorless, colorless and non-toxic.

Item #	Unit	MSRP
ECOPLUS-5	5 gallon RTU	\$180.00
ECOPLUS-55	55 gallon RTU	\$1,980.00
ECOPLUS-250	250 gallon RTU	\$9,000.00




- ldeal for new or existing concrete
- Great for dustproofing
- Contains 40% solids
- Enhances polished color, gloss and clarity
- Minimizes dust for healthier indoor air quality



Ameripolish® 2D PL is a multi-silicate blend that is intended for use on extremely porous concrete. 2D PL sets up faster than other Ameripolish® densifiers, which keeps the majority of the 2D PL at the surface of the concrete in order to harden the wearable surface. Its ideal use is on open or porous concrete that will readily accept densifiers. When used in conjunction with Ameripolish® SR2 Stain Resistor, it is especially effective at resisting stains.

Item #	Unit	MSRP
2DPL-5	5 gallon RTU	\$142.50
2DPL-55	55 gallon RTU	\$7,125.00
2DPL-250	250 gallon RTU	CDFP*
		*Call Distributor for Pricing



- Fast-setting, designed for porous concrete
- Ideal for new or existing concrete
- Multi-silicate to penetrate varying densities
   of concrete
- Hardens the wearable surface of porous concrete
- Contains stain-resistant chemicals to help
   prevent penetration of stains
- Minimizes dust for healthier indoor air quality

# **3D SP E<sup>TM</sup>** Stain Protector Enhanced Formula

Ameripolish® 3D SP E<sup>TM</sup> is a breathable semi-penetrating/semitopical sealer that helps protect surfaces against stains and etching. 3D SP E<sup>TM</sup> creates a water-resistant barrier that prevents liquids from infiltrating the surface, protecting against staining and color dispersion. Since reformulating the original 3D SP formula, 3D SP E<sup>TM</sup> has better abrasion and chemical resistance, but it maintains the same easy application methods you have become accustomed to using.

2,000-2,500ft<sup>2</sup> PER GALLON

2C-3C PER FT<sup>2</sup>

Item #	Unit	MSRP
3DSPE-1	1 gallon RTU	\$60.00
3DSPE-5	5 gallon RTU	\$300.00
3DSPE-30	30 gallon RTU	\$1,710.00
3DSPE-55	55 gallon RTU	CDFP*
3DSPE-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing

- RTU = Ready to use
- UV stabilizers help protect against fading
- Creates water-resistant barrier to prevent staining and etching and protect color
- 3D SP E<sup>™</sup> is a color enhancer for polished concrete floors with dye
- Contains 3D densifier properties to aid in hardening and dustproofing



# **3D SP** Stain Protector

Ameripolish<sup>®</sup> 3D SP is a breathable semi-penetrating/semitopical sealer that helps protect surfaces against stains and etching. 3D SP creates a water-resistant barrier that prevents liquids from infiltrating the surface, protecting against staining and color dispersion.

Item #	Unit	MSRP
3DSP-1	1 gallon RTU	\$60.00
3DSP-5	5 gallon RTU	\$300.00
3DSP-30	30 gallon RTU	\$1,710.00
3DSP-55	55 gallon RTU	CDFP*
3DSP-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing

# **FEATURES**


- RTU = Ready to use
- UV stabilizers help protect against fading
- Creates water-resistant barrier to prevent staining and etching and protect color
- 3D SP is a color enhancer for polished concrete floors with dye
- Contains 3D densifier properties to aid in hardening and dustproofing

# **PSE PAVER SEALER ENHANCER**

#### WATER-BASED HIGH PERFORMANCE POLYMER

Ameripolish<sup>®</sup> PSE Paver Sealer Enhancer is a water-based, high-performance polymer which forms a breathable barrier that protects cementitious materials from salts, stains, dirt, oils and moisture. It has been formulated to rejuvenate and enhance the original color of pavers and concrete replications, while providing long-lasting weather protection against water penetration and UV degradation. It is ideal to use for sealing interlocking pavers, colored cementitious replications, stone and other cement textured surfaces.

Item #	Unit	MSRP	FEATURES
PSE-1	1 gallon RTU	\$30.50	Breathable barrier prevents staining and
PSE-5	5 gallon RTU	\$152.50	seals out moisture
PSE-30	30 gallon RTU	\$870.00	Protects color from UV degradation
PSE-55	55 gallon RTU	CDFP*	Non-yellowing finish will not peel, crack,
PSE-250	250 gallon RTU	CDFP*	blister or blush
5C-10C PER FT <sup>2</sup>	300-600 FTP PER GALLON	*Call Distributor for Pricing	Environmentally safe, low VOCs




Ameripolish® AquaShield Waterproofing Treatment is a long-lasting treatment that provides water repellency to any concrete surface, helping to prevent staining and water damage. AquaShield coverage varies depending on the porosity of the concrete. Expect approximately 400 square feet per gallon on a broom finish and approximately 2,000 square feet on less porous finishes.

Item #	Unit	MSRP
AS5	5 gallon RTU	\$120.00
AS30	30 gallon RTU	\$720.00
AS55	55 gallon RTU	CDFP*
AS250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing

- Ideal for indoor or outdoor use on any concrete or masonry surface
- Extremely long-lasting
- Water-based, fast drying
- Low VOC and non-flammable





# **GRAFFITI GUARD** Water-Based Graffiti Preventative





Ameripolish® Graffiti Guard is a water-based penetrating protective sealer, designed to defend masonry, metal, and cementitious material from paint, soot, dirt, and other material that can be found obscuring walls and surfaces around the world. By forming a protective barrier, Graffiti Guard allows for easy removal of unwanted "graffiti" from cementitious surfaces and back to its original and intended aesthetic appearance. Graffiti Guard leaves behind no shine or aesthetically altering appearance.

Item #	Unit	MSRP
GG-1	1 gallon RTU	\$48.00
GG-5	5 gallon RTU	\$240.00
GG-30	30 gallon RTU	CDFP*
GG-55	55 gallon RTU	CDFP*
GG-250	250 Gallon RTU	CDFP*

\*Call Distributor for Pricing

- Creates a barrier to prevent unwanted contaminates from adhering to the surface
- Easily remove graffiti after it has been applied to the surface with the minimum of a 1500 psi power washer
- Protects from soot and smog in urban
  environments

# **SR<sup>2</sup> AND SR<sup>2</sup> WB** Fully-Penetrating Stain resistor



SR<sup>2</sup>-treated concrete tile after being submerged in water for 48 hours



# **SR<sup>2</sup> STAIN RESISTOR** FULLY-PENETRATING STAIN RESISTOR

Ameripolish® SR<sup>2</sup> is a penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil and water-based stains. The water and oil repelling qualities of SR<sup>2</sup> provide superior stain protection on most substrates. SR<sup>2</sup> can be used as a standalone product, but to obtain optimum performance Ameripolish® SR<sup>2</sup> is recommended for use with Ameripolish® 3D HS or HSL Densifiers.

Item #	Unit	MSRP
SR2-1	1 gallon RTU	\$138.00
SR2-5	5 gallon RTU	\$590.00
SR2-30	30 gallon RTU	\$3,420.00
SR2-55	55 gallon RTU	CDFP*
SR2-250	250 gallon RTU	CDFP*



#### FEATURES

- · Non-topical, penetrating sealer
- Treated surfaces 'breathe' and do not trap moisture
- Excellent stain repellency for residential, commercial and even industrial applications
- Extreme hydrophobic and oleophobic characteristics for maximum stain resistance

## **SR<sup>2</sup> WB STAIN RESISTOR** WATER-BASED FULLY-PENETRATING STAIN RESISTOR

\*Call Distributor for Pricing

Ameripolish® SR<sup>2</sup> WB is a water-based, penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil and water-based stains. The water and oil repelling qualities of SR<sup>2</sup> WB provide superior stain protection on most substrates. SR<sup>2</sup> WB can be used as a standalone product, but to obtain optimum performance Ameripolish® SR<sup>2</sup> WB is recommended for use with Ameripolish® 3D HS or HSL Densifiers.

Item #	Unit	MSRP
SR2WB-1	1 gallon RTU	\$76.00
SR2WB-5	5 gallon RTU	\$380.00
SR2WB-30	30 gallon RTU	\$2,280.00
SR2WB-55	55 gallon RTU	CDFP*
SR2WB-250	250 gallon RTU	CDFP*



#### **FEATURES**

•

- Great alternative where solvent-based products are not applicable
- VOC exempt & non-flammable
- Economical penetrating sealer alternative
- Non-topical, penetrating sealer
- Treated surfaces 'breathe' and do not trap moisture
- Excellent stain repellency for residential, commercial and even industrial applications

# **X-LINK SERIES** Exterior Sealers for ColorJuice E



# X-LINK E (WL)

#### Modified Urethane sealer in Wet Look Finish

Ameripolish® X-Link E (WL) is a modified urethane high-gloss sealer. Modified from our original X- Link WL, X-Link E (WL) provides a true wet look. X-Link E (WL) is extremely durable and breathable from beneath the concrete. X-Link E (WL) is designed for use with ColorJuice E, but it can be used to seal natural concrete and other cementitious surfaces such as porous brick, natural and manufactured stone, stucco, slate and flagstone.

Item #	Unit	MSRP
XSWL-1	1 gallon RTU	\$31.80
XSWL-5	5 gallon RTU	\$159.00
XSWL-30	30 gallon RTU	\$906.50
XSWL-55	55 gallon RTU	CDFP*
XSWL-250	250 gallon RTU	CDFP*





\*Call Distributor for Pricing

- RTU = Ready to use
- Provides high gloss on broom-finished concrete
- Breathable & fast drying
- Pairs well with ColorJuice E
- Use on natural or colored concrete




# X-LINK WB

#### Water-based sealer in Matte Finish

Ameripolish<sup>®</sup> X-Link WB Surface Sealer is a stain protector for exterior and interior concrete. This fast drying, water-based sealer was designed for use with ColorJuice E, but it may also be used on uncolored concrete or with other compatible color products. It is ideal for any concrete or cementitious surface, as well as porous brick, natural and manufactured stone, stucco, slate, unglazed tile and flagstone.

Item #	Unit	MSRP
XS-1	1 gallon RTU	\$31.80
XS-5	5 gallon RTU	\$159.00
XS-30	30 gallon RTU	\$906.50
XS-55	55 gallon RTU	CDFP*
XS-250	250 gallon RTU	CDFP*



\*Call Distributor for Pricing


#### **FEATURES**

- RTU = Ready to use
- Non-yellowing finishes
- Breathable and fast-drying
- Oil and chemical resistant
- Added mildew and UV protection
- Ideal for indoor or outdoor applications

# **DNS-400**

#### Sprayable Acrylic Sealer

Ameripolish<sup>®</sup> DNS-400 is a sprayable acrylic sealer that is fast-drying and long-lasting to protect and beautify concrete finishes. DNS-400 contains complex additives and acrylics not found in any other sealers to provide outstanding UV protection, as well as fungicides to prevent mildew growth. Independent testing has proven DNS-400's longevity to exceed three years during normal usage conditions, making it ideal for lasting protection on colored or uncolored, stamped or exposed concrete, porous brick, natural and manufactured stone, stucco, slate, unglazed tile and flagstone.




- Ideal for indoor or outdoor use
- Added mildew and UV protection
- · Oil and chemical resistant
- Perfect for sealing after using Dye-N-Seal Pro colors



Ameripolish® Rooftop Armor<sup>™</sup> Waterproofing Treatment is a long-lasting treatment that provides water repellency to any concrete surface, helping to prevent staining and water damage. Rooftop Armor<sup>™</sup> coverage varies depending on the porosity of the concrete. Expect approximately 400 square feet per gallon on a broom finish and approximately 2,000 on less porous finishes.

Item #	Unit	MSRP
RTA-5	5 gallon RTU	\$125.45
RTA-30	30 gallon RTU	\$752.75
RTA-55	55 gallon RTU	CDFP*
RTA-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing



#### FEATURES

- Ideal for use on any concrete or masonry surface indoor or outdoor
- Extremely long-lasting and high coverage rate
- Water-based, fast drying
- Low VOC and non-flammable
- Low odor
- Does not alter surface appearance

www.ameripolish.com



Ameripolish® G series pads are floor burnishing pads for use on high-speed floor machines that operate in the 1500-3000 RPM range. The pad is made of polyester fibers in a nonwoven construction. This product is designed for the dry burnishing phase after Ameripolish® stain protection is applied and dried. The pads are available in varying sizes.

Item #	Unit	MSRP
G3-27-2	27" G3 Burnishing Pad 2 Pack	\$120.00
G3-24-2	24" G3 Burnishing Pad 2 Pack	\$110.00
G3-21-2	21" G3 Burnishing Pad 2 Pack	\$100.00
G2-27-2	27" G2 Burnishing Pad 2 Pack	\$120.00
G2-24-2	24" G2 Burnishing Pad 2 Pack	\$110.00
G2-21-2	21" G2 Burnishing Pad 2 Pack	\$100.00
G1-27-2	27" G1 Burnishing Pad 2 Pack	\$120.00
G1-24-2	24" G1 Burnishing Pad 2 Pack	\$110.00
G1-21-2	21" G1 Burnishing Pad 2 Pack	\$100.00

#### **COMPARED TO A GRIT NUMBER?**

G-Series Pad	Grit Equivalent
G3	3000
G2	1200
G1	600

# **Ameripolish Stain Protection Comparison**

All Ameripolish® sealers are intended for use on either new or existing concrete, with or without color. We have designed several different sealers in order to complement the varying needs of stain protection and aesthetic preference. Please read on to understand the difference between our sealers.

#### SR<sup>2</sup>TM

Ameripolish® SR<sup>2</sup> is a penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil and water-based stains. The water and oil repelling qualities of SR<sup>2</sup> provide superior stain protection on most substrates. SR<sup>2</sup> can be used as a standalone product, but to obtain optimum performance Ameripolish® SR<sup>2</sup>™ is recommended for use with Ameripolish® densifiers.

#### **3D SP™ & 3D SP E ™**

Ameripolish® 3D SP E<sup>TM</sup> and 3D SP<sup>TM</sup> are breathable semi-penetrating/semi-topical sealers that help protect surfaces against stains and etching. 3D SP E<sup>TM</sup> & 3D SP<sup>TM</sup> create a water-resistant barrier that prevent liquids from infiltrating the surface, protecting against staining. Both products form a sacrificial layer that is intended to protect the concrete from stains, spills and abrasion. 3D SP E<sup>TM</sup> has better chemical and abrasion resistance, while the 3D SP<sup>TM</sup> provides a higher sheen for the floor.

#### X-LINK E (WL) & X-LINK WB

Ameripolish® X-Link E (WL) is a modified urethane sealer. Modified from our original X- Link WL, X-Link E (WL) provides a true wet look. Ameripolish® X-Link WB is a water-based matte finish stain protector for exterior concrete. Both sealers are fast drying and were designed for use with ColorJuice E, but they may also be used on uncolored concrete.

Attributes	SR2	3D SP™	3D SP E™	X-Link E (WL)	X-Link WB
Fast & Easy Spray/ Microfiber Application	YES	YES	YES	Spray Only	Spray Only
Coverage Rates (Per Gallon)	3,000-5,000sq ft	2,000-2,500sq ft	2,000-2,500sq ft	400-600sq ft	300-500sq ft
Cost (Sq Ft)	3-5¢	2-3¢	2-3¢	5-7¢	6-10¢
Intended for use on	Polished Concrete	Polished Concrete	Polished Concrete	Broom Finished Concrete	Broom Finished Concrete



# FEATURES

- Concentrated cleaner that removes daily debris from hard surfaces
- Contains chemical analogues to SR<sup>2</sup> that reinforce stain protection
- · Contains no harsh chemicals
- Environmentally friendly and biodegradable
- Easy to use, tilt-measure bottle
- Low VOC, VOC-compliant
- Ideal for daily cleaning of polished concrete, terrazzo, epoxy, urethane and other hard-surface flooring

Ameripolish<sup>®</sup> Rejuvenating Cleaner is a concentrated multipurpose cleaner that removes daily debris from hard surfaces and reinforces the sealer to extend the life of polished concrete floors. Rejuvenating Cleaner contains no harsh chemicals, and it leaves no build-up on the surface. In addition to polished concrete, it is ideal for use on vinyl tile, ceramic tile, terrazzo, wood and composite materials. It rejuvenates the floor by reapplying trace amounts of densifier and stain-resistant additives while cleaning with an auto-scrubber. This practice can delay the reapplication of SR<sup>2</sup> as far out as every two years.


#### Mixing

- 4 oz Cleaner for 30 gallons of water
- 2 oz Cleaner for 15 gallons of water
- 1 oz Cleaner for 8 gallons of water

Item #	Unit	MSRP
RJCON-10	32 oz Tilt Measure Bottle - 10	\$280.00
	pack	



The SmartFloor<sup>™</sup> concept is engineered to provide the end user with a highly aesthetic floor and an easy and economical way to maintain a polished concrete floor utilizing standard janitorial equipment and existing personnel. The SmartFloor<sup>™</sup> Pad System consists of DOI Inserts for daily maintenance and Stain Remediation Inserts (SRI) for remediating etches and stains from polished concrete floors. The SmartFloor<sup>™</sup> Pad System Inserts are made of unique diamond agglomerate technology that maintain a highly-refined floor without ongoing stock removal, and it also successfully remediates etches and stains.



- Easy-to-use pad system, including pads for daily maintenance (DOI) and stain remediation (SRI)
- Each complete pad consists of a backer pad and three to five inserts, depending on the size of the pad
- Designed for use under auto-scrubbers
   and floor machines
- The daily cleaning process will maintain and improve the aesthetics, especially Distinctness Of Image (DOI) or clarity of a concrete floor
- Innovative and patented diamond technology
- Available in sizes 13", 14", 15", 16", 17", 20" and 23"

# SP CLEAN & SHINE PADS MAINTENANCE PAD FOR GUARDED FLOORS

- WHAE FOODS I

WE FINE HURSEED!

# **FEATURES**

- For guarded floors with a topical coating such as Ameripolish® 3D SP™ or 3D SP E™ Stain Protector
- Used with standard janitorial equipment such as an auto-scrubber or floor machine
- Composite of two pad technologies in one easy-to-use pad
- Open loft white driver pad cleans by removing dirt and debris up and away from the surface
- Achieves maximum cleanliness and aesthetical values
- Available in size 13", 14", 15", 16", 17", 20"

The Ameripolish® SP Clean & Shine Pad is a composite of two different technologies designed to provided maximum aesthetics and cleanliness values. The outer pad consists of an open loft construction designed to lift and remove dirt and debris up and away from the floor while the inner pad has a tighter, denser construction that provides an excellent polishing effect. The Ameripolish® SP Clean & Shine Pad was designed for floors protected by Ameripolish® 3D SP or 3D SP E<sup>™</sup> Stain Protector, but testing has shown excellent results with any guard-type floor.



# **CFE 2000** Hich Performance Multi-Purpose Cleaner

Ameripolish® CFE 2000 is our latest cleaning solution designed to break down the toughest and most troublesome stains. CFE 2000 is very effective in environments where other aggressive chemicals are unsuccessful. CFE 2000 is eco-friendly and comes in a concentrate intended for automatic scrubber use.

Item #	Unit	MSRP
CFE2000-1	1 gallon RTU	\$42.00
CFE2000-5	5 gallon RTU	\$210.00

- Cleans the toughest grease and oil stains
- Breaks down organic material
- Removes salts and minerals that can cause efflorescence
- Eco-friendly
- Concentrate
- Usable in automatic scrubber or in concentrate form for troublesome areas



# **STAIN SLAYER** Color-Etch Removing Solution



Ameripolish® Stain Slayer is our spot-fixing solution designed to remove color-etching introduced with most troublesome stains. Stain Slayer is very effective in environments where other aggressive chemicals are unsuccessful.

# **FEATURES**

- · Spot fix unsightly stains
- Fast Acting (within minutes)
- Removes salts and minerals that can cause efflorescence
- Restores floors with color stain back to their original color



Item #	Unit	MSRP
APSTSL-1	1 gallon RTU	\$18.80
APSTSL-5	5 gallon RTU	\$87.27
APSTSL-30	30 gallon RTU	\$490.91
APSTSL-55	55 gallon RTU	CDFP*
		*Call Distributor for Pricing

Call Distributor for Pricing

Ameripolish® Inc. 120 Commercial Ave. | Lowell, AR 72745 Toll Free: 1-800-592-9320 | Phone: (479) 725-0033 | Fax: (479) 725-0031 www.ameripolish.com