

Heavy-Duty Dust Containment System

BDC-1330

Specifications:

Static Pressure:

Maximum 85 in H²0

Air Flow:

290 cfm maximum

Dust Bin Capacity:

113 lb. (65kg)

Amperage:

16A

Voltage:

230V, 1ø, 50 or 60 Hz

Power Cord:

30 ft. (9m)

Dust Hose Connection:

3 in. (76mm)

Dimensions:

L 25 in. (640mm) x W 28 in. (700mm) x H 43 in. (1100mm)

Weight:

Net 150 lb. (68kg)

Features & Benefits:

- Compact vertical unit is easy to maneuver and transport
- Maintenance friendly design with easily replaceable filters
- Spring-assist shaker mechanism for manual filter cleaning
- Quick release-and-attach dust bin for easy debris disposal
- Tough steel construction for durable long-life use
- Triple independent motor design for up to 4 hp of suction
- Offers virtually dust-free operation for medium sized shot blasters, scarifiers, grinders and polishers

Always wear appropriate eye, ear and respiratory protection for the application, as specified by OSHA regulations and your employer. Never operate or maintain equipment before reading and understanding the instructions for operation and maintenance. Obey all safety signs and instructions while operating or maintaining equipment.

BLASTRAC
800,256,3440 blastrac.com



Heavy-Duty Dust Containment System

BDC-40H

Specifications:

Static Pressure:

Maximum 118 in H²0

Air Flow:

313 cfm maximum

Dust Bin Capacity:

142 lb. (64kg)

Amperage:

16A

Voltage:

230V, 1ø, 50 or 60 Hz

Power Cord:

30 ft. (9m)

Dust Hose Connection:

3 in. (76mm)

Dimensions:

L 43 in. (1100mm) x W 23.5 in. (600mm) x H 47 in. (1200mm)

Weight:

Net 262 lb. (119kg)

Features & Benefits:

- HEPA filter system
- Spring-assist shaker mechanism for manual filter cleaning
- Easy to maneuver and stage with swivel locking castors
- Large filtration surface area with 161 sq. ft. (15 sq.m)
- Maintenance friendly design with easily replaceable cartridge filters
- Quick release-and-attach dust bin
- Durable resin-reinforced plastic construction—won't rust or dent
- Dual-motor design
- Offers virtually dust-free operation for small to medium sized grinders and polishers



Always wear appropriate eye, ear and respiratory protection for the application, as specified by OSHA regulations and your employer. Never operate or maintain equipment before reading and understanding the instructions for operation and maintenance. Obey all safety signs and instructions while operating or maintaining equipment.

The Trusted Choice of Professionals for Over 30 Years



Products manufactured and marketed by Blastrac/Diamatic are protected by patents issued or pending in the United States and other countries. Blastrac/Diamatic reserves the right to change the specifications referred to in this literature at any time, without prior notice. Blastrac and Diamatic are registered trademarks owned by Blastrac, NA.

Products manufactured and marketed by Blastrac/Diamatic are protected by patents issued or pending in the United States and other countries. Blastrac/Diamatic reserves the right to change the specifications referred to in this literature at any time, without prior notice. Blastrac and Diamatic are registered trademarks owned by Blastrac, NA.