

Floor Scraping Systems HIGH VOLUME RIDE-ON SCRAPER

BMS-T4200

The BMS-T4200 is the unit for high-productivity, low emissions, and reliability. Designed for large area surface removal, the BMS-T4200 signifcantly reduces the amount of time and effort required to remove a wide variety of thick coatings, floor coverings, and waterproofing membranes. Everything from carpet and the toughest ceramic tile to hardwood and VCT are no match for this versatile heavy-duty machine.

Maximum torque is produced through the 42 hp Hyundai engine giving the BMS-T4200 the power that is needed for the most grueling and time-consuming floor removal jobs. Exhaust scrubbers reduce emissions to meet or exceed CARB and EPA requirements. The precision hydraulic steering gives the operator optimum control in maneuvering, and an auxiliary hydraulic system can power hydraulic attachments such as diamond grinders or rotary cutters.

Utilizing a patented "twisting" blade-bar design (edge of blade stays in contact with the floor more consistently), the BMS-T4200's rear tires can roll over debris without the blade rotating off the target working area. The blade remains flatter to the surface to continue scraping with less reverse manuveuvers for "re-bites" during removal jobs.

Top quality construction and compact design offer great efficiency and versatility. With an integrated weight system built into the frame, the weight of the BMS-T4200 can be reduced by 2000 lbs.—ideal for job access via elevator.

The BMS-T4200 ride-on scraper brings you the quality and lasting durability you can trust, that is the hallmark of Blastrac.



The "patent pending" Ceramic Tile Tooth accessory features a tungsten carbide insert on the front edge for durability.

Always wear appropriate eye, ear and respirator protection for the application, as specified by OSHA regulations and your employer. Never operate or maintain equipment before reading and understanding the instructions for operation and maintenance. Obey all safety signs and instructions while operating or maintaining equipment.



BMS-T4200

FEATURES & BENEFITS:

- Patented "twisting" blade-bar design
- Precision hydraulic steering for optimum maneuvering
- Heavy-duty, industrial machine
- Auxiliary hydraulic system can be used to power attachments
- Removeable weights reduce weight to 2200 lbs. for elevator transport
- Ideal for extreme removal jobs in malls, airports, hotels, and schools
- Power and agility for demanding surface removal areas
- Single lever steering to minimize operator fatigue
- Built-in rear wheel scrapers help improve traction by reducing debris build-up

SPECIFICATIONS:

Working Width: 26 in. (660mm) Tool Width: Blade dependent

Fuel: Liquid propane Engine: 42 hp Hyundai

Aux. Hydraulic: 14 gpm @ 2500 psi Max. Ground Speed: 500 ft. per min. Dimensions: L 72 in. (1829mm) x W 26 in. (660mm) x H 62 in. (1575mm)

(660mm) x H 62 in. (1575mm) Length without weights, 56 in.

Weight: 4200 lbs (1905kg), 2200 lbs w/o weights



