Material Safety Data Sheet

SECTION 1-PRO	DUCT AND	COMPAN	Y IDEN	TIFICA	<i>TION</i>			
PRODUCT NAME: FLOR-SIL								
GENERAL USE: Concrete sealer						-	-	-
PRODUCT DESCRIPTION: Clear, alkali, water-bas	ed liquid, nearly o	dorless.				Dian	nat	ΙC
					-			
MANUFACTURER'S NAME		DATE PREP		January 2	28, 2009		Page 1	of 4
Advanced Concrete Technologies, LLC ADDRESS (NUMBER, STREET, P.O. BOX)		SUPERSEDES: New Page For For TELEPHONE NUMBER FOR INFORMATION Telephone Telephone						
450 South 1325 West		(801) 375-2280						
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER						
Orem, UT 84058	USA	Infotrac (800) 535-5053 Outside USA (352) 323-3500						
SECTION	l 2 - HAZAR	DS IDENT	IFICATI	ON				
EMERGENCY OVERVIEW								
Alkaline liquid, prolonged contact may cause skin &	eye irritation. Inge	estion may caus	se gastric di	istress. H	Hazard Syr	nbols for th	nis produc	ct - Xi,
Risk Phrases - R36/38								
POTENTIAL HEALTH EFFECTS								
INHALATION: Breathing concentrated vapors may of	cause irritation of	respiratory tract	i.					
SKIN: Prolonged contact may cause irritation.								
orany. Thoonged contact may cause initiation.								
EYES: Contact with eyes will cause irritation.								
INGESTION: May cause gastric distress, vomiting a	nd diarrhoa							
INGESTION. May cause gastile distress, volititing a	inu ulaimea.							
CARCINOGENICITY	NTP?	No	IARC MON	OGRAPHS?	No	OSHA REG	GULATED?	No
SECTION 3 - COMPO	OSITION / IN	IFORMATIC	ON ON I	NGRE	DIENTS	5		
HAZARDOUS COMPONENTS	CAS #	EINECS #	%	OSH/	A PEL	ACGIH	TWA	RQ
			(by weight)	PPM	MG/M3	PPM	MG/M3	LBS
Proprietary Ingredient (*, a)	Not specified	Not specified	1 - 5				1*	
(*) The ACGIH Time Weighted Average (TWA) has not been seen as a see			shed the Per	missible E	xposure Lin	nit (PEL) for	this produc	ct,
therefore the limits described have been established as gui								•
(a) The specific product is not identified due to "Trade Sec calling the emergency information number listed above. Re					be obtained	by the on -	duty physi	cian
coming the emergency miorination number listed above. At			-0 01 11 000.					

Diamatic

Flor-Sil

eDiamatic

Material Safety Data Sheet Pa

PRODUCT NAME: FLOR-SIL

January 28, 2009						
SECTIO	N 4 - FIRST AID MEASURES					
INHALATION: Remove affected person to fresh air; w medical attention.	rash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek					
SKIN: Wash contacted area with soap and water; DO attention.	NOT attempt to neutralize with chemical agents; if irritation persists, seek medical					
EYES: Check for and remove contact lenses. Immed medical attention immediately.	iately flush eyes for 15 minutes in clear running water while holding eyelids open; seek					
INGESTION: Drink large quantities of water or milk; D medical attention immediately.	O NOT induce vomiting; never give anything by mouth to an unconscious person; seek					
SECTION	5 - FIRE FIGHTING MEASURES					
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable					
Non-flammable	AUTOIGNITION TEMPERATURE: Not determined NFPA CLASS: None					
GENERAL HAZARDS: Product is alkaline. Products monoxide.	of combustion include compounds of carbon, hydrogen and oxygen, including carbon					
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, cher	nical foam.					
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent con Material is alkaline and will irritate the eyes if produc UNUSUAL FIRE AND EXPLOSION HAZARDS None	ntainer rupture due to steam buildup; floor will become slippery if material is released. It is allowed to directly contact the eyes.					
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon.						
SECTION 6-A	CCIDENTAL RELEASE MEASURES					
	ASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to y sewer. Large spills - confine spill, soak up with approved absorbent, shovel product					
SECTION	7 - HANDLING AND STORAGE					
PRECAUTIONS TO BE TAKEN IN HANDLING AND S protect from extreme temperatures. Keep this and oth	STORAGE: Keep container closed when not in use; protect containers from abuse; her chemicals out of reach of children.					
	RE CONTROLS / PERSONAL PROTECTION					
ENGINEERING CONTROLS						
The use of local exhaust ventilation is recommended.	Use corrosion-resistant ventilation equipment.					
PERSONAL PROTECTION:						
RESPIRATORY PROTECTION: None required while	threshold limits are kept below maximum allowable concentrations; if TWA exceeds er to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.					
PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.						
EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.						
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact, safety eyewash station nearby.						

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

e Diamatic

Material Safety Data Sheet Page 3 of 4

PRODUCT NAME: FLOR-SIL

January 28, 2009						
SECTION 9-PH	YSICAL AN	D CHEMIC	AL PROPERTIES			
APPEARANCE AND ODOR		VAPOR DENSITY (AIR = 1)				
Clear, alkali, water-based liquid, nearly odorless.		<1				
SPECIFIC GRAVITY (WATER = 1)		EVAPORATION RATE (Water = 1)				
1.036 SOLUBILITY IN WATER		< 1 % VOLATILE (BY WEIGHT)				
Appreciable (> 99%)		> 90%				
pH		VAPOR PRES				
Approximately 11.0		17 mm Hg @	D 20° C			
BOILING POINT		FREEZING POINT				
212° F (100° C) VISCOSITY		32° F (0° C) VOLATILE ORGANIC COMPOUNDS (VOC's)				
Like that of water	None					
	10 - STABIL	ITY AND R	PEACTIVITY			
STABILITY UNSTABLE:			O AVOID: Extreme temperatu	ures, keep from freezing.		
STABLE:			·			
INCOMPATIBILITY (MATERIALS TO AVOID): Stron	ng oxidizers, stror	ng acids.				
HAZARDOUS DECOMPOSITION OR BYPRODUCT			f bandlad and stared proper	why the ended of a fire avideo of		
carbon, hydrocarbons, fumes or vapors, and smoke			r nanuleu anu storeu proper	ny. In case of a fire, oxides of		
HAZARDOUS POLYMERIZATION MAY OCCUR:			O AVOID: None			
WILL NOT OCCUR:						
SECTION 1	1 - TOXICOL	OGICAL IN	FORMATION			
Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient	LC50 of Ingredient		
			Species and Route 16,540 mg / kg	Species Not established		
Proprietary Ingredient (*, a)	Not specified	Not specified	Oral - rat	Not established		
SECTION	12 - ECOLO	GICAL INF	ORMATION			
No data are available on the adverse effects of this n				available Based on the		
chemical composition of this product it is assumed the						
limited quantities. However, such treatment should t	be evaluated and	approved for eac	ch specific biological system	n. None of the ingredients in		
this mixture are classified as a Marine Pollutant.						
SECTION	13 - DISPOS	AL CONSIL	DERATIONS			
WASTE DISPOSAL METHOD: Dispose of in accord	ance with Local, S	State, and Federa	al Regulations. Refer to "40) CFR Protection of		
Environment Parts 260 - 299" for complete waste di						
Environmental Protection Agency before disposing of				e, waste codes are		
application specific and should be assigned by the u	ser based on the	application for wi	nich the product is used.			
	11 TOANO		001117/011			
	14 - TRANS		JRIMATION			
PROPER SHIPPING NAME	Ξ: Non - Hazardoι	us for Transport				
DOT HAZARD CLASS / Pack Group	-		IATA HAZARD CLASS / P			
	IMDG HAZARD CLASS: Not regulated					
UN / NA IDENTIFICATION NUMBER	RID/ADR Dangerous Goods Code: Not regulated					
LABEL: None Required UN TDG Class / Pack Group: Not regu HAZARD SYMBOLS: None Hazard Identification Number (HIN): None						
Note: Transportation information provided is for re		stomer is urged t				
Nations TDG, and WHMIS (Canada) TDG informat						
packaging materials and methods of shipping.			-			

🛢 Diamatic

Material Safety Data Sheet

PRODUCT NAME: FLOR-SIL January 28, 2009

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories None

313 Reportable Ingredients:

None

CERCLA (Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: Not controlled

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: nwg	VbK Index: Not	applicable				
Risk Phrases		DL(S) REQUIRED Safety Phrases				
R36/38 Irritating to eyes and skin.	FOR L	ABEL	S2 Keep out of the reach of children.			
	Irrit	ant	S24/25 Avoid contact with skin and eyes. S28 After contact with skin, wash immediately w			
SECTIO	N 16-OTH	ER INFORI	NATI	ON		
Specific toxicity tests have not been conducted on this ingredients, technical literature, and/or professional ex		zard evaluation i	s based	d on information from similar	products, the	
HMIS HAZARD RATINGS	HEALTH		1	* = Chronic Health Hazard	2 = MODERATE	
	FLAMMABILITY		0	0 = INSIGNIFICANT	3 = HIGH	
	PHYSI	CAL HAZARD	0	1 = SLIGHT	4 = EXTREME	
PERSONAL PROTECTIV		VE EQUIPMENT	С	Safety Glasses, Gloves, Apror	1	
REVISION SUMMARY:		MSDS Prepare	ed by:			
This MSDS has been revised in the following sections:		Comprehensive Data Base, Inc.				
Format update	P.O. Box 686					
	Seffner, FL 33583 USA (863) 644 - 3298 www.compdatabase.com or www.msds.cc					
· <u>··</u> ·····				•		
The information contained herein is believed to be accurate but is r manufacturer of the product and manufacturers of the components						
applicable and suited to the circumstances of use. Vendor assume	es no responsibility fo	r injury to vendee or	third per	sons proximately caused by the mat	erial if	
reasonable safety procedures are not adhered to as stipulated in th of this material even if reasonable safety procedures are followed.						
described in Section 1.						