








Surface preparation – range overview.

APPLICATION	PRODUCT	TECHNICAL SPECIFICATIONS	PAGE												
<ul style="list-style-type: none"> ■ An all-purpose grinder that is perfect for contractors who need an extremely powerful and tough grinder/polisher to handle large areas and a wide array of applications. High production rates, when compared to others in its class, are achieved thanks to Dual Drive Technology™. ■ Handles all wet and dry grinding applications. ■ Removes adhesives, coatings and screed. ■ Perfect for Hiperfloor™ concrete floor polishing system as well as polishing of natural stone and terrazzo surfaces. 	<p>Husqvarna PG 820.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>17 (12.6)</td> </tr> <tr> <td>Voltage, V</td> <td>380–480</td> </tr> <tr> <td>Power supply</td> <td>3-phase</td> </tr> <tr> <td>Grinding width, in (mm)</td> <td>32 (820)</td> </tr> <tr> <td>Grinding disc, in (mm)</td> <td>10-1/2 (267)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>970 (440)</td> </tr> </table>	Power, electric, hp (kW)	17 (12.6)	Voltage, V	380–480	Power supply	3-phase	Grinding width, in (mm)	32 (820)	Grinding disc, in (mm)	10-1/2 (267)	Weight, lbs (kg)	970 (440)	<p>160</p>
Power, electric, hp (kW)	17 (12.6)														
Voltage, V	380–480														
Power supply	3-phase														
Grinding width, in (mm)	32 (820)														
Grinding disc, in (mm)	10-1/2 (267)														
Weight, lbs (kg)	970 (440)														
<ul style="list-style-type: none"> ■ An extremely powerful and tough grinder/polisher designed for a wide array of applications. Dual Drive Technology™ gives it the highest production rates compared to other grinders in its class. ■ Handles all wet and dry grinding applications. ■ Removes adhesives, coatings and screed. ■ Perfect for Hiperfloor™ concrete floor polishing system as well as polishing of natural stone and terrazzo surfaces. 	<p>Husqvarna PG 680.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>17 (12.6)</td> </tr> <tr> <td>Voltage, V</td> <td>380–480</td> </tr> <tr> <td>Power supply</td> <td>3-phase</td> </tr> <tr> <td>Grinding width, in (mm)</td> <td>27 (680)</td> </tr> <tr> <td>Grinding disc, in (mm)</td> <td>9-1/2 (240)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>850 (385)</td> </tr> </table>	Power, electric, hp (kW)	17 (12.6)	Voltage, V	380–480	Power supply	3-phase	Grinding width, in (mm)	27 (680)	Grinding disc, in (mm)	9-1/2 (240)	Weight, lbs (kg)	850 (385)	<p>161</p>
Power, electric, hp (kW)	17 (12.6)														
Voltage, V	380–480														
Power supply	3-phase														
Grinding width, in (mm)	27 (680)														
Grinding disc, in (mm)	9-1/2 (240)														
Weight, lbs (kg)	850 (385)														
<ul style="list-style-type: none"> ■ The smallest planetary grinder available, it's the perfect machine for residential and commercial contractors that work in tight spaces. Available in single or three phase versions to ensure the most power is available for the job. ■ Unmatched capacity for its class, it has high production rates when quickly removing tough surfaces/coatings. ■ Perfect for polishing in residential and smaller commercial spaces. 	<p>Husqvarna PG 530.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>5 (4)</td> </tr> <tr> <td>Voltage, V</td> <td>220–240/480</td> </tr> <tr> <td>Power supply</td> <td>1-phase, 3-phase</td> </tr> <tr> <td>Grinding width, in (mm)</td> <td>21 (530)</td> </tr> <tr> <td>Grinding disc, in (mm)</td> <td>9-1/2 (240)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>475 (216)</td> </tr> </table>	Power, electric, hp (kW)	5 (4)	Voltage, V	220–240/480	Power supply	1-phase, 3-phase	Grinding width, in (mm)	21 (530)	Grinding disc, in (mm)	9-1/2 (240)	Weight, lbs (kg)	475 (216)	<p>162</p>
Power, electric, hp (kW)	5 (4)														
Voltage, V	220–240/480														
Power supply	1-phase, 3-phase														
Grinding width, in (mm)	21 (530)														
Grinding disc, in (mm)	9-1/2 (240)														
Weight, lbs (kg)	475 (216)														
<ul style="list-style-type: none"> ■ It's the perfect tool for the surface preparation rental customers that need to grind concrete, mastic, glue, overlays and epoxies. An extremely powerful machine for its size, it can use a wide array of grinding discs to prep the concrete multiple ways. ■ Capable of grinding adhesive residue, paint and spackle on large concrete areas. ■ Efficiently grinds due to high rpm levels. 	<p>Husqvarna PG 400 SF.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>5.3 (4)</td> </tr> <tr> <td>Voltage, V</td> <td>380–480</td> </tr> <tr> <td>Power supply</td> <td>3-phase</td> </tr> <tr> <td>Grinding width, in (mm)</td> <td>16 (410)</td> </tr> <tr> <td>Grinding disc, in (mm)</td> <td>16 (410)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>255 (116)</td> </tr> </table>	Power, electric, hp (kW)	5.3 (4)	Voltage, V	380–480	Power supply	3-phase	Grinding width, in (mm)	16 (410)	Grinding disc, in (mm)	16 (410)	Weight, lbs (kg)	255 (116)	<p>163</p>
Power, electric, hp (kW)	5.3 (4)														
Voltage, V	380–480														
Power supply	3-phase														
Grinding width, in (mm)	16 (410)														
Grinding disc, in (mm)	16 (410)														
Weight, lbs (kg)	255 (116)														

APPLICATION	PRODUCT	TECHNICAL SPECIFICATIONS	PAGE												
<ul style="list-style-type: none"> ■ The ideal grinder for rental customers who need to grind concrete, mastics, paints, etc. It's small and easy to maneuver, yet strong enough to get the job done. ■ Perfect for grinding adhesive residue, paint and spackle on medium-sized concrete areas. ■ Efficiently grinds due to high rpm levels and a wide range of discs available for various applications. 	<p>Husqvarna PG 280 SF.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>3 (2.2)</td> </tr> <tr> <td>Voltage, V</td> <td>115/220-240</td> </tr> <tr> <td>Power supply</td> <td>1-phase</td> </tr> <tr> <td>Grinding width, in (mm)</td> <td>11 (290)</td> </tr> <tr> <td>Grinding disc, in (mm)</td> <td>11 (290)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>176 (80)</td> </tr> </table>	Power, electric, hp (kW)	3 (2.2)	Voltage, V	115/220-240	Power supply	1-phase	Grinding width, in (mm)	11 (290)	Grinding disc, in (mm)	11 (290)	Weight, lbs (kg)	176 (80)	<p>164</p>
Power, electric, hp (kW)	3 (2.2)														
Voltage, V	115/220-240														
Power supply	1-phase														
Grinding width, in (mm)	11 (290)														
Grinding disc, in (mm)	11 (290)														
Weight, lbs (kg)	176 (80)														
<ul style="list-style-type: none"> ■ It is the perfect choice for any large planetary grinder that needs a vacuum with high suction and flow to eliminate airborne dust. The high CFM and large capacity enable it to handle all grinding and polishing applications. ■ Highly mobile and versatile unit can be used for both wet and dry applications. ■ Use with the Husqvarna PG 820 or PG 680. 	<p>Husqvarna DC 5500.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>7.4 (5.5)</td> </tr> <tr> <td>Voltage, V</td> <td>380-480</td> </tr> <tr> <td>Max rated current, amps</td> <td>32</td> </tr> <tr> <td>Max vacuum, psi (bar)</td> <td>4.35 (300)</td> </tr> <tr> <td>Suction inlet diameter, in (mm)</td> <td>3 (76)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>474 (215)</td> </tr> </table>	Power, electric, hp (kW)	7.4 (5.5)	Voltage, V	380-480	Max rated current, amps	32	Max vacuum, psi (bar)	4.35 (300)	Suction inlet diameter, in (mm)	3 (76)	Weight, lbs (kg)	474 (215)	<p>165</p>
Power, electric, hp (kW)	7.4 (5.5)														
Voltage, V	380-480														
Max rated current, amps	32														
Max vacuum, psi (bar)	4.35 (300)														
Suction inlet diameter, in (mm)	3 (76)														
Weight, lbs (kg)	474 (215)														
<ul style="list-style-type: none"> ■ A single phase dust extraction unit designed to accompany the PG 530 grinder to ensure a dust-free work environment. ■ Capable of handling wet or dry applications. ■ Suction capacity and filtration technology for even the toughest jobs, efficiently eliminating airborne dust. 	<p>Husqvarna DC 3300.</p> 	<table border="1"> <tr> <td>Power, electric, hp (kW)</td> <td>4 (3)</td> </tr> <tr> <td>Voltage, V</td> <td>220-240</td> </tr> <tr> <td>Max rated current, amps</td> <td>16</td> </tr> <tr> <td>Max vacuum, psi (bar)</td> <td>4.35 (300)</td> </tr> <tr> <td>Suction inlet diameter, in (mm)</td> <td>3 (76)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>214 (97)</td> </tr> </table>	Power, electric, hp (kW)	4 (3)	Voltage, V	220-240	Max rated current, amps	16	Max vacuum, psi (bar)	4.35 (300)	Suction inlet diameter, in (mm)	3 (76)	Weight, lbs (kg)	214 (97)	<p>166</p>
Power, electric, hp (kW)	4 (3)														
Voltage, V	220-240														
Max rated current, amps	16														
Max vacuum, psi (bar)	4.35 (300)														
Suction inlet diameter, in (mm)	3 (76)														
Weight, lbs (kg)	214 (97)														
<ul style="list-style-type: none"> ■ A small and lightweight wet/dry vacuum, it is perfect for dust control when used with the PG 400 and PG 280. It can also be used with hand grinders. ■ Eliminates most dust, making the work environment better for the operator and the surrounding area. 	<p>Husqvarna DC 1400.</p> 	<table border="1"> <tr> <td>Power, hp (kW)</td> <td>1.9 (1.4)*</td> </tr> <tr> <td>Voltage, V</td> <td>115</td> </tr> <tr> <td>Max rated current, amps</td> <td>12</td> </tr> <tr> <td>Suction inlet diameter, in (mm)</td> <td>2 (51)</td> </tr> <tr> <td>Weight, lbs (kg)</td> <td>79 (36)</td> </tr> </table>	Power, hp (kW)	1.9 (1.4)*	Voltage, V	115	Max rated current, amps	12	Suction inlet diameter, in (mm)	2 (51)	Weight, lbs (kg)	79 (36)	<p>167</p>		
Power, hp (kW)	1.9 (1.4)*														
Voltage, V	115														
Max rated current, amps	12														
Suction inlet diameter, in (mm)	2 (51)														
Weight, lbs (kg)	79 (36)														

*As rated by the engine manufacturer.